






EAN Code: Available April 2021

Configuration



Bottles capacity with the standard configuration; 4 shelves and compartments:

151 Bottles*

CONFIGURATION	Storing shelf	Sliding shelf	Capacity*
Optimum Configuration (100% sliding shelves)	-	6	137
Standard Configuration	2	2	151

Oxygen


Range: Oxygen


Function: Multi-functions (3-temperatures)


Reference: OXM3TI5INVND


Equipement: 4 shelves (2 storing shelves and 2 sliding shelves) and 2 compartments


Capacity: 151 Bottles*











General Features

Dimensions H x W x D (mm):	1825 × 680 × 720**	Weight cabinet empty (kg) :	81
Dimensions in pack (mm) :	1950 x 720 x 760	Weight equipped cabinet (kg) :	88,8
Colors:	Black	Weight in pack (kg) :	103,8
Door:	Glass door black frame	Useful volume (L) :	346

Equipment & Accessories

Equipment

- Glass door with black frame, integrated handle in the glass
- Glass door with double pan reinforced with gaz argon to filter up to 97% of the UV rays.
- Lock
- Reversible door
- 2 adjustable feet
- for bottles Labels the identification

Accessories

Universal shelves: AOHUI Code EAN: 3543290002783

Weight: 2,6 kg

Bottles capacity per level: 12* Material: Solid beech wood.

Modular system: you can choose the shelf configuration:









Presentation shelf « 6+22 bottles »





Storing shelf « 72 bottles »



Technical features

Control Panel

Electronic regulation from 10°C to 14°C for the middle part of the cabinet. From 15°C to 20°C for the highest part of the cabinet. The temperature of the lowest part of the wine cabinet is defined by the temperature

setting of the middle part.

- Inner electronic display, Red Leds screen
- Visual alarm for the temperature fault
- Temperature display
- Automatic Winter function

Performances

Cold production: Static cooling Hot production: Heating element

Ensure by the thermodynamical Humidity:

pump system Winter function: Automatic R600a Gaz uses:

Recommended temperature

Energy efficiency rating:

From I2°C to 30°C range: Aluminium Inner material:

Insulation type: PU foam Acoustic emissions (db(A)): 37 С Acoustical emission class: Consumption (kWh/year): 150

* Traditional Bordeaux bottles

G

** With the rear stop, without the handle